

1. Applicant InformationName: *DONNELLE FIDRE*

Phone:

Address: *1714 163RD PLACE***2. Site Information**Division: *AMBERLEIGH*Lot Number: *56*

Site Address:

3. Fence DescriptionStyle of Fence: *Same as existing*Type of Material: *Same*Color & Dimensions: *Same***4. Proposed Construction Drawings - see Page 2.**

For MCCA Use

Submittal Number

Date Submitted

*Approximate start date
end of June 2018*

ACC Insp. Month

ACC Insp.

Inspection Notes

Application may be mailed to
or dropped off at the MCCA
Office in the bottom floor of
the John L. Scott Building at
15714 Country Club Drive.

11/07/07

4- 501-4593



COMMUNITY ASSOCIATION

ESTABLISHED 1973

Architectural Control Committee
Plan and Specification Review Determination
Fence Application (Page 1 of 3)

Architectural Control Committee approval includes esthetic feature only and does not imply or warrant any structural integrity. This approval is not based on an engineering review of the site plan or structure. Please note: You may need the City of Mill Creek's approval . (425) 745-1891.

Attach color samples
here.

Pursuant to the provision of Article VIII, Paragraphs 8.1, 8.2 and 8.2.1, 8.2.2, 8.2.3, 8.3, 8.3.1, 8.3.2, and 8.3.3, and Article IX of the MILL CREEK DECLARATION OF COVENANTS, the following determination by the Architectural control Committee is hereby granted:

Approval subject to the following changes:

Rejected for the following reasons:

(☒) Approve () Reject

(☒) Approve () Reject

(☒) Approve () Reject

() Approve () Reject

() Approve () Reject


Condominiums & Townhomes ACC or Board Approval

Date: 5-23-18

MCCA Administration


Chairman, Architectural Control Committee

Date:

Date: 5-23-18

Date:

Date:

84-2883 10/10/84 10/10/84

Mill Creek

COMMUNITY ASSOCIATION

ESTABLISHED 1975

Architectural Control Committee Plan and Specification Review Determination Exterior Painting Application

Architectural Control Committee approval includes esthetic feature only and does not imply or warrant any structural integrity. This approval is not based on an engineering review of the site plan or structure. Please note: You may need the City of Mill Creek's approval. (425) 745-1891.

For MCCA Use
Submittal Number 11783
Date Submitted 7-15-14

* FACA
Must Be
White

Please attach
Paint Samples
here.

Applications without
samples will not be
accepted.

Application may be mailed to
or dropped off at the MCCA
Office in the bottom floor of
the John L. Scott Building at
15714 Country Club Drive.

10/23/07

1. Applicant Information		
Name: Donelle Fiore	Phone: 425-337-9037	
Address: 1714-163 Pl. SE Mill Creek, Wg. 98012		
2. Site Information Amberleigh		
Division: Amberleigh	Lot Number: 56	
3. Color (Please attach all color samples)		
House:	Trim:	Door:
Other:		
NOTE: Although colors from any source may be submitted, a book of standard colors and combinations is available at the MCCA Office that may be useful, and may speed the approval process.		

Pursuant to the provision of Article VIII, Paragraphs 8.1, 8.2 and 8.2.1, 8.2.2, 8.2.3, 8.3, 8.3.1, 8.3.2, and 8.3.3, and Article IX of the MILL CREEK DECLARATION OF COVENANTS, the following determination by the Architectural control Committee is hereby granted:

Approval subject to the following changes:

Rejected for the following reasons:

() Approve () Reject

Date:

Condominiums & Townhomes ACC or Board Approval

() Approve () Reject

Date: **7-17-14**

MCCA Administration

() Approve () Reject

Date: **7-15-14**

Chairman, Architectural Control Committee

() Approve () Reject

Date: **7/16/14**

mcca-Admin


() Approve () Reject

Date:

() Approve () Reject

Date:

Ererett 4 - 347-4989

	Date	Delivery Date	Delivery Time	Salesman	
	Customer	Dee Fiore			
	Phone	Fax			
<input type="checkbox"/> Delivery <input type="checkbox"/> Will Call					
Delivery Address				Lot #	
Instructions					
<input type="checkbox"/> Double Checked Base <input type="checkbox"/> Double Checked Formula <input type="checkbox"/> I have followed all tint procedures Signed					
<input type="checkbox"/> Double Checked Color # <input type="checkbox"/> Checked All Colors to Chip					
QUANTITY	PRODUCT #	COLOR #	FORMULA		
[Redacted]		EVO6D8920	Trim		
1/4		L-8	White Trim		
[Redacted]		EVO5#7595	House		
[Redacted]		EVO6K10010	Door		
1 Color Sample	2 Color Sample	3 Color Sample	4 Color Sample	5 Color Sample	6 Color Sample
* Face must be white					
7 Color Sample	8 Color Sample	9 Color Sample	10 Color Sample	11 Color Sample	12 Color Sample
13 Color Sample	14 Color Sample	15 Color Sample	16 Color Sample	17 Color Sample	18 Color Sample

TINT549 3.19.14 sd





Architectural Control Committee Plan and Specification Review Determination Roofing Application

Architectural Control Committee approval includes esthetic feature only and does not imply or warrant any structural integrity. This approval is not based on an engineering review of the site plan or structure.

Submittal # :

10417

Date Submitted :

8/15/11

1. Applicant Information:

Applicant Name: Amberleigh - Jon Erikson Phone #: (425) 591-4591

Applicant Address: SEE ATTACHED 16323 - 17th AVE SE

2. Site Information: (11 - UNITS)

Lot # : "SEE ATTACHED" Division: AMBERLEIGH

Site Address :

3. Type of Roofing to be used:

PRESIDENTIAL TL AUTUMN BLEND

4. Contractor: LO BERG ROOFING

Pursuant to the provision of Article VIII, Paragraphs 8.1, 8.2 and 8.2.1, 8.2.2, 8.2.3, 8.3, 8.3.1, 8.3.2, and 8.3.3, and Article IX of the MILL CREEK DECLARATION OF COVENANTS, the following determination by the Architectural control Committee is hereby granted:
Approval subject to the following changes:

Rejected for the following reasons:

(☒) Approve () Reject

() Approve () Reject

() Approve () Reject

() Approve () Reject

() Approve () Reject

() Approve () Reject

George Vernon Date: 8/15/11
SUB-ASSOCIATION (IF APPLICABLE) Condominiums & Townhomes

George Vernon Date: 8/15/11
MCCA Administration or George Vernon, ACC Chair

Date:

Date:

Date:

Date:

AMBULETOWN

AUGUST ROOFING SCHEDULE AS OF 8/14

AUG 15

ENTRY CANOPIES
LOT 21 - MCCORMACK

AUG 17

LOT 85 SAINDON

AUG 22

LOT 56 MUSGROVE
LOT 5 MALLOW

AUG 24

LOT 53 BERTRAND
LOT 6 RHODES

AUG 29

LOT 50 BEAUMONT
LOT 71 TEEL
LOT 60 BEAUMONT
LOT 70 LEWIS
LOT 61 HANSEN



COMMUNITY ASSOCIATION

ESTABLISHED 1975

Architectural Control Committee Plan and Specification Review Determination Additions Application (Page 1 of 3)

Architectural Control Committee approval includes esthetic feature only and does not imply or warrant any structural integrity. This approval is not based on an engineering review of the site plan or structure. Please note: You may need the City of Mill Creek's approval. (425) 745-1891.

For MCCA Use
Submittal Number 10251
Date Submitted 5/18/11

1. Applicant Information

Name: <u>MUSGROVE</u>	Phone: <u>948-7577</u>
Address: <u>1714 163RD PL SE</u>	

2. Site Information

Division: <u>AMBOLLEIGH</u>	Lot Number: <u>56</u>
Site Address:	

3. Structure Type

Hot Tub: <input type="checkbox"/>	Deck: <input type="checkbox"/>	Patio: <input type="checkbox"/>	Addition: <input type="checkbox"/>	Separate Building: <input type="checkbox"/>
Other (specify): <input checked="" type="checkbox"/> <u>HEAT PUMP</u>				

4. Structure Description (Include exact location, type of materials, finishes, colors, etc.)

Describe: <u>SEE ATTACHED</u>

5. Proposed Construction Drawings - see Page 2.

Attach color samples here.

Pursuant to the provision of Article VIII, Paragraphs 8.1, 8.2 and 8.2.1, 8.2.2, 8.2.3, 8.3, 8.3.1, 8.3.2, and 8.3.3, and Article IX of the following determination by the Architectural Control Committee:

Approval subject to the following conditions:



**Heating, Cooling
& Electric, Inc.**

A Service Company You Can Depend On!

500 East Main
Monroe, WA 98272
888-828-9774
(425) 252-4402
(360) 794-3832 Fax
Lic. #GSHEAC*939RK

Jason Stephenson
Comfort Advisor
Cell (425) 508-6535
jason@gsheating.com
www.gsheating.com

Rejected for the following reasons:

(☒) Approve () Reject

Jason Stephenson Date: 5/18/11
Condominiums & Townhomes ACC or Board Approval

(☒) Approve () Reject

Jason Stephenson Date: 5/18/11
MCCA Administration

() Approve () Reject

Date: _____
Chairman, Architectural Control Committee

() Approve () Reject

Date: _____

() Approve () Reject

Date: _____

() Approve () Reject

Date: _____

Application may be mailed to or dropped off at the MCCA Office in the bottom floor of the John L. Scott Building at 15714 Country Club Drive.

11/07/07




G & S Heating, Cooling & Electric, Inc.

Commercial Residential Industrial

500 East Main • Monroe, Washington 98272
(360) 794-7306 • (425) 252-4402 • (360) 794-3832 Fax
Lic. #GSHEA*939RK • www.gsheating.com

MUSGROVE
1714 163RD PL SE
BOTHELL, WA 98012




SOUND LEVEL - TYPICAL OCTAVE BAND SPECTRUM (without tone adjustment)


Size	Test Condition	63	125	250	500	1000	2000	4000	8000	dBA	SQI
	RSS Sound Power Calibration 1091 402	82.8	85.4	85.9	85.3	88.1	88.6	86.6	83.9	-	-
18	Cooling Mode	67.3	69.2	64.6	67.3	65.5	61.5	58.2	51.8	70.0	19.21
	Heating Mode	68.9	69.0	64.0	66.4	66.6	59.6	56.4	52.6	69.7	19.17
24	Cooling Mode	69.9	73.1	64.2	65.2	66.3	61.2	58.8	52.4	69.9	19.03
	Heating Mode	72.4	71.6	64.8	68.3	68.0	62.2	60.1	53.0	71.6	18.99
30	Cooling Mode	70.5	68.8	64.3	65.3	65.5	60.3	55.8	50.6	69.0	19.01
	Heating Mode	72.2	70.1	67.5	66.7	69.4	62.5	58.3	52.7	72.0	19.03
36	Cooling Mode	70.9	69.3	65.3	66.4	66.3	59.7	56.7	50.8	69.6	19.14
	Heating Mode	73.2	70.1	66.9	68.5	68.4	61.6	59.4	55.5	71.7	19.12
42	Cooling Mode	71.7	69.5	72.1	69.0	71.3	60.6	56.9	54.0	73.3	19.01
	Heating Mode	72.6	72.6	68.1	70.5	70.9	62.7	59.2	56.9	73.6	19.02
48	Cooling Mode	71.0	71.0	68.4	68.1	67.9	60.1	55.8	51.3	70.8	19.11
	Heating Mode	73.6	72.5	74.0	73.6	75.8	64.0	63.2	56.8	77.6	19.08
60	Cooling Mode - High Stage	71.2	69.4	71.4	73.2	71.2	61.1	57.6	52.8	74.7	19.09
	Heating Mode - High Stage	71.6	72.7	69.6	71.3	72.4	63.4	61.5	57.4	75.0	19.05

* Rated in accordance with ARI 270-2008 Standards.

TYPICAL INSTALLATION




TYPICAL FIELD WIRING



Physical and Electrical Data

MODEL		YHJF18 S41S1	YHJF24 S41S1	YHJF30 S41S1	YHJF36 S41S1	YHJF42 S41S1	YHJF48 S41S1	YHJF60 S41S1
Unit Supply Voltage		208-230V, 1 ϕ , 60Hz						
Normal Voltage Range ¹		187 to 252						
Minimum Circuit Ampacity		11.9	17.6	17.3	23.7	26.1	28.8	35.3
Max. Overcurrent Device Amps ²		20	30	30	40	45	50	60
Min. Overcurrent Device Amps ³		15	20	20	25	30	30	40
Compressor Type		Scroll	Scroll	Scroll	Scroll	Scroll	Scroll	Scroll
Compressor Amps	Rated Load	9.0	13.4	12.8	17.9	19.8	28.8	35.3
	Locked Rotor	48.0	58.3	64.0	96.7	115.0	115.0	118.0
Crankcase Heater		No	No	No	No	No	No	No
Fan Motor Amps	Rated Load	0.7	0.8	1.3	1.3	1.3	1.3	1.3
Fan Diameter Inches		24	22	24	24	24	24	24
Fan Motor	Rated HP	1/10	1/8	1/4	1/4	1/4	1/4	1/4
	Nominal RPM	825	1075	850	850	850	850	850
	Nominal CFM	2000	2000	3900	3900	3900	3800	3800
Coil	Face Area Sq. Ft.	15.72	19.17	23.58	23.58	23.58	23.58	23.58
	Rows Deep	1	1	1	1	1	2	2
	Fin / Inches	22	22	22	22	22	18	18
Liquid Line Set OD (Field Installed)		3/8	3/8	3/8	3/8	3/8	3/8	3/8
Vapor Line Set OD (Field Installed)		3/4	3/4	3/4	3/4	7/8	7/8	1-1/8
Unit Charge (Lbs. - Oz.) ⁴		6 - 15	7 - 14	9 - 14	10 - 9	10 - 14	14 - 2	14 - 2
Charge Per Foot, Oz.		0.62	0.62	0.62	0.62	0.67	0.67	0.75
Operating Weight Lbs.		145	145	176	193	198	248	290

1. Rated in accordance with ARI Standard 110, utilization range "A".
2. Dual element fuses or HACR circuit breaker. Maximum allowable overcurrent protection.
3. Dual element fuses or HACR circuit breaker. Minimum recommended overcurrent protection.
4. The Unit Charge is correct for the outdoor unit, matched indoor coil and 15 feet of refrigerant tubing. For tubing lengths other than 15 feet, add or subtract the amount of refrigerant, using the difference in length multiplied by the per foot value.



All dimensions are in inches. They are subject to change without notice. Certified dimensions will be provided upon request.


Unit Model	Dimensions (Inches)			Refrigerant Connection Service Valve Size	
	A ¹	B	C	Liquid	Vapor
18	28	34	34	3/8"	3/4"
24	40	29	29		
30	40	34	34		
36	40	34	34		
42	40	34	34		7/8"
48	40	34	34		
60	40	34	34		

1. Including Fan Guard.

YORK
It's time to get comfortable.

LX Series Heat Pumps

Everyone wants time to relax and be comfortable. That's why we created LX Split System Heat Pumps, so you can feel cool in summer and warm in winter. And you'll like the confident feeling that comes with dependable performance, energy efficiency and operating economy. We give you the best design so you don't have to sweat the details. And because it's built by York — the industry leader in innovative design — you know your system won't be down when you want some down time.




**LX SERIES
YHJF MODEL**
14.5 SEER/UP TO 9.0 HSPF

With several affordable designs to choose from, it's easy to find the model that will keep your home cool and comfortable, control humidity and maintain indoor air quality on hot summer and cold winter days. And while you're feeling comfortable indoors, you'll also feel good knowing your system is using environmentally friendly R-410A refrigerant to protect the outdoors.

Feel good with the Good Housekeeping Seal.

York® products that bear the Good Housekeeping Seal give you the added assurance of product replacement or refund of the purchase price if the product proves to be defective within two years from the date sold by an authorized dealer.



Affordable peace of mind.

Select York® systems using R-410A installed after May 1, 2009, include a 10-year limited warranty on the compressor and parts as standard coverage (when you register qualifying products online within 90 days of installation, otherwise the parts warranty reverts to a 5-year parts warranty). See your York® Dealer for details.




Hybrid comfort.

Now you can choose a York® heat pump as part of our Hybrid Comfort System™ that lets you shift from the efficiency of an electric heat pump to the added power of a gas furnace for the most efficient heating you've ever experienced.



- Exceptionally quiet sound levels
- Attractive appearance
- Trouble-free enclosed, permanently lubricated fan motor
- Environmentally friendly R-410A refrigerant
- Compact design saves space
- ENERGY STAR® qualified savings
- Efficiency ratings up to 15+ SEER when matched with variable-speed indoor blower

Complete your home comfort system by asking your York® Dealer about ways to improve your indoor environment and protect your family's health with our indoor air quality options.



MODEL	DESCRIPTION	TONNAGE RANGE	REFRIGERANT	LIMITED WARRANTY
YHJF	14.5 SEER/Up to 9.0 HSPF Efficiency	2-5 Ton	R-410A	10-Year compressor/10-Year parts*

For additional product details, such as weight and dimensions, visit www.york.com or ask your York® Dealer.
 * For 10-year limited parts warranty, system must be installed after May 1, 2009, and registered online within 90 days of installation. Otherwise the parts warranty reverts to a 5-year limited parts warranty.

Stay comfortable for years to come.

York is proud to offer the YorkCare™ Comfort Plan. It's designed to maintain your system as well as your peace of mind. With YorkCare™ you get total protection that ensures your unit is effective and efficient for years to come.

What's more, your York® Dealer offers maintenance agreements that provide upkeep while maximizing the warranty provisions. Ask about the YorkCare™ Comfort Plan. A little extra coverage is always a comforting idea.

Long story short—our history.

You may not know it, but York® products have been all around—from the world's most famous buildings, including the U.S. Capitol—to the entire U.S. Navy nuclear submarine fleet, as well as your local mall and corner bank. For over 130 years, the York® brand has earned trust as the first successful room air conditioner and for the world's first mechanically cooled theater, hotel and office building. Today, we're constantly leading the industry in our residential product design, signified by the Good Housekeeping Seal and ENERGY STAR® qualified products.



You can depend on York to give you the choices you trust for comfortable performance all day long, year after year. Want to know more? Contact your York® Dealer. They have 130 years of innovation to tell you about.



The York brand of Johnson Controls, Inc. ©2009 Johnson Controls, Inc.
 5005 York Drive, Norman, OK 73069 www.york.com Subject to change without notice.
 All rights reserved.



